NYC Solar Permitting Process Guide

Sustainable CUNY of the City University of New York (CUNY) worked with the NYC Department of Buildings (DOB), which issues work permits for solar installations in the 5 boroughs, to provide this comprehensive guide that solar PV installers will need in order to navigate the permitting process. The initial effort in 2016 to develop the guide was supported by the U.S. Department of Energy as well the NY-Sun Initiative, with link updates provided by Sustainable CUNY in 2022. It is highly recommended to use this guide in conjunction with the <u>NYC Solar</u> Standardized Checklist of Filing Materials.

NYC requires both a construction and an electrical work permit to perform a solar PV installation. A plumbing work permit is required on solar thermal projects in lieu of the electrical permit. This guide begins with the steps for a construction permit, and then covers electrical in later steps. Projects may be filed as part of another New Building or Alteration permit application if other construction work is happening at the same time on the property except when applying for the <u>Solar Property Tax Abatement (PTA)</u>. (NYC currently offers a 20% PTA to building owners for installing solar PV systems. Building owners entering into a lease or Power Purchase Agreement do qualify for the PTA, but solar thermal systems do not). Solar permit applications are most commonly filed separately as an Alteration Type 2.

Step 1: Determine if your building requires an asbestos investigation

NYC has a code requirement that buildings must be inspected for asbestos in the areas construction work will take place. In order to receive a construction permit, the DOB requires a form approved by the Department of Environmental Protection (DEP) stating this took place unless exemption is selected on the PW1 permit application for DOB.

A) If your building was constructed per plans approved on or after April 1, 1987, your project is exempt from asbestos inspections and fees (skip to Step 3). The below option may be selected on the PW1 application.

The scope of work is exempt from the asbestos requirement as defined in the regulations promulgated by the NYC DEP (15 RCNY 1-23(b)) or is an alteration to a building constructed pursuant to plans submitted for approval on or after April 1, 1987, in accordance with § 28-106.1 - No fee

- B) If not, a Special Asbestos Investigator completes an investigation to determine if asbestos containing material (ACM) exists in the work area.
 - List of <u>Certified Asbestos Investigators</u>
 - See <u>Title 15, Chapter 1 Rules of the City of New York</u>
 - See additional information on <u>Department of Environmental Protection's website</u>

Step 2: Special Asbestos Investigator completes survey report

After the investigation, the Special Asbestos Investigator will submit a survey report through DEP's online <u>Asbestos Reporting and Tracking System</u> (ARTS) and pay the fees. In addition to the DEP submission in ARTS, an ACP5 or ACP21 form with a DEP approved seal will be issued, and will be required for submission with the solar construction permit application to DOB in Step 7. A) If asbestos containing material exists in less than 25 linear square feet of the work area, the <u>ACP5</u> form is completed in ARTS. This is most common. The below option may be selected on the PW1 application.

In the scope of the work is not an asbestos project as defined in the regulations of the NYC DEP. DEP Control # is required - Pay directly to DEP

On the PW1 application, applicant should include the DEP ACP-5 Control Number. The Certificate Number, which is the Certified Asbestos Investigator's Certificate Number that starts with a 1 at the bottom of the ACP5 page, is required at the time of upload.

Jane Doe	2/3/2011	12345	8/3/2012	CINI OF WEW
DEP Certified Asbestos Investigator's Signature	Date	Certificate Number	Expiration Date	
Fel. # Fax #		Emai	n	- A Seal
The investigator shall assume that sor each area that is not assumed to cont accordance with §§ 1-36, 1-37, and 1- 560/5-85-024 and 560/5-85-030a and	ain ACM, collect 44 of the DEP A	and submit for analysis t sbestos Rules and EPA	oulk samples in	SEAL OF THE NWC DEP CERTIFIED ASBESTOS INVESTIGATOR

B) If asbestos must be removed, the ACP7 form is completed in ARTS. Then, a <u>Certified Asbestos Handler</u> must remove it. An ACP21 form would be issued and sealed by DEP after removal. The below option may be selected on the PW1 permit application.

O The scope of work requires related asbestos abatement as defined in the regulations of the NYC Department of Environmental Protection (DEP) - Pay directly to DEP

Step 3: Enroll for an Account on the Development Hub e-filing website

The Development Hub's <u>eFiling</u> system is used to electronically submit solar construction applications. Enroll for an Account, if you have not done so already. Then, login and select "Minor Construction."

Anyone may create an account and prepare the permit application. Only a NYS Registered Architect or Professional Engineer's account will be able to officially submit the application to DOB for review. The Licensed Professional must also sign most of the forms and the plans. The Licensed Professional is listed as the 'Applicant.'

Welcome to eFiling

<u>DOB NOW</u> will be released in phases over the coming years. During the transition, users will create and maintain their login and password through eFiling. See the <u>Account FAQs</u> for more information.



Step 4: Determine if you are filing Hub Full-Service or Hub Self-Service

- A) Hub Full-Service is used to request a standard plan exam review from DOB.
- <u>B)</u> Hub Self-Service is used when a licensed professional (PE/RA) is certifying the application; plans are in compliance with all applicable requirements, forgo the DOB plan exam review. These jobs are subject to an audit by DOB.
- <u>C</u>) Professional Certification of Objections is a hybrid of A & B, but falls under Hub Full-Service. It means you are requesting an initial plan review, but if objections are issued by the plan examiner, the licensed professional will certify the corrections made to the objections and forgo a 2nd DOB plan review.

All three filing options can mark Yes to *Directive 14*, which means the licensed professional will certify the building inspection and you will not have to schedule one with DOB.



*As of January 1, 2016, the DOB accepts solar jobs applying for the Property Tax Abatement (PTA) that meet the following criteria: i) Produce a maximum of 10 kilowatts of power; ii) Are installed on one or two family homes; and iii) Are installed on pitched roofs with a slope greater than a twenty degrees. PTA jobs must select Directive 14, but a PTA building inspection is still required. For more info see <u>NYC</u> <u>PTA</u> and <u>DOB's Solar FAQs</u>. Leased, financed, and Power Purchase Agreement solar contracts also qualify for the PTA.

All PTA jobs must be filed online. Applicants that are NOT applying for the PTA may file online using one of the three ways listed above or in-person at a Borough Office. Online permit applications are encouraged, and covered in this guide.

Specify
e Specify
ard Plan Examination or Review
sional Certification
sional Certification of Objections
s

Step 5: Create an online permit application

After logging into the Development Hub website, create a new application by selecting Hub Full-Service or Hub Self-Service. Then, select 'Begin New Job Application.' You will be prompted to answer all of the questions on a PW1 form. After the questions have been answered, the e-filing system will automatically generate your completed PW1 form.

lead additional informati	MT.	
	Begin New Job Application	
	Manage Job Applications	
	Manage Address Book	

Step 6: Complete Permit Application Fields

Follow these User Guides to complete the application. These are also located on the login page of the e-filing system.

Hub Full-Service User Guide

Hub Self-Service User Guide

Tips on Completing the Online Permit Application

Additional information for completing the Online Permit Application can be found on DOB's <u>PW1 User Guide</u>.

Tip 1: Many of the specific address and site characteristic information to answer the electronic questions can be found on <u>ZoLa</u> (Zoning and Land Use Map) or <u>BIS</u> (Buildings Information Systems) on the property's BIN page.

BIN Page Example

*Is the site in a Flood Hazard Area?

Property Profile Overview Page Example

	NY	C Department of Bu	uildings							
	Pr	operty Profile Ove								
207 GRAND STREET	213	BROOKLYN 11211		BH## 33967	0.0					
GRAND STREET	207-217	Health Area	400	Tax Block	2381					
and the second states of	and a set	Census Tract	553	Tax Lot	14					
		Community Board	301	Condo	:NO					
		Buildings on Lot	= 1	Vacant	: NO					
New DCP Addresses	rowse Block		6-1%		PLAN AL					
New Zoning Documents	View Challenge Results	Pre-BIS.	BĄ	View Certificat	es of Occupancy	-				
Cross Street(s):	BEDFORD AVENU	E, DRIGGS AVENUE								
DOB Special Place Name:	DM S/O REQ#3011									
DOB Building Remarks:	PREVIOUSLY 207				D INTO LOT 14(10/10)					
Landmark Status:	10225	Special Status:	51. I I I	NºA.						
Local Law:	YES	Loft Law:		NO						
SRO Restricted:	NO	TA Restricted:		NO						
UB Restricted: Environmental Restrictions	NO NOISE	Grandfathered :	Ringe	NO						
Legal Adult Use:	NO	City Owned:	organ.	NO						
Additional Billis for Building		and a most		122						
Additional Designation(s):	1. Annese analysis and	T-WILLIAMSBURG ANT	TI-HARASSM	ENT						
and the same as a submaniful of the										
Special District: This property is not located Area. <u>Click here for more in</u>	onnation		ids, Freshwa	iter Wetlands, or Co	astal Erosion Hazard	-	1			
Special District: This property is not located Area. <u>Click here for more in</u> Department of Finance Build	in an area that may be all ormation ling Classification:	J8-THEATRES		10.00 () (C()) (T+ ())() (T			1			
Special District: This property is not located Area. <u>Click here for more in</u>	in an area that may be all onnation ling Classification: of Preasors building classific	J8-THEATRES aton information shows a	a building's teo	r status, which may not Duiktings		-	1	Г		
Special District: This property is not located Area: <u>Click here for more in</u> Department of Finance Built Please Note: The Department	in an area that may be all onnation ling Classification: of Prence's building classific e legal use of a structure, res	J8-THEATRES aton information shows o such the records of the I Open	a building's teo Department of	status, which may no Duktings Cords		-	1	Г		
Special District: This property is not located traa. Click here for more in Department of Finance Buik Please Note: The Department of the structure. To determe th	in an area that may be all ormation ling Classification: of Feance's building classific e legal use of a structure, res Total	JR-THEATRES aton information shows a serifi the records of the I Open 1	a building's ter Department of Elevator Re Electrical A	status, which may no Duktings Cords		*		Γ	Check BIS	for answe
Special District: This property is not located Area. Click here for more inf Department of Finance Built Please Note: The Department of the structure. To determine th Complaints	in an area that may be all ormation sing Classification: of Preance's building classific is legal use of a structure, res Total 5	J8-THEATRES aton information shows serich the records of the I Open 1 0	a building's teo Department of Elevator Re Electrical A Permits In	r status, which may not Duklings Cords pplications) be the same as the legal u			ſ	Check BIS	for answe
Special District: This property is not located Area. Click here for more in Department of Finance Buik Please Note: The Department of the structure. To determine th Compliants Violations-2008	in an area that may be all ormation ling Classification: of Freence's building classific legal use of a structure, res Total 5 2	J8-THEATRES atom information shows a serifi the records of the I Open 1 0 0 0	a building's teo Department of Elevator Re Electrical A Permits In	r status, which may not Duktings. Cords <u>polications</u> <u>Process / Insued</u> Signs Annual Permi) be the same as the legal u			Γ		
Special District: This property is not located trea. Click here for more in Department of Finance Built Please Note: The Department rithe structure. To determine th Compliants Worktions. POB Violations. POB	in an area that may be all ormation Sing Classification: a legal use of a studies, res legal use of a studies, res Total 5 2 4	J8-THEATRES atten information shows a sarch the recards of the D Open 1 0 0 0	a building's too Department of Electrical A Permits In Illuminated Plumbing In Open Plum	r status, which may not Duktings. Cords <u>polications</u> <u>Process / Insued</u> Signs Annual Permi	I be the same as the legal u			ſ	Check BIS to the Site (
Special District: This property is not located Area. Click here for more in Department of Finance Buik Please Note: The Department I the structure. To determine th Complaints Violations. POB Violations. ECB (JOOB) Jobs/Filmas	in an area that may be all ormation of Dissolfication: of Dissols building classific legal use of a structure, res Total 5 2 4 36	J8-THEATRES aton information shows o serify the records of the I Open 1 0 0	a building's too Department of Electrical A Permits In. Illuminated Phumbing In Open Plumi Eacades	status, which may not Duktings polications process / Issued Stans Annual Permi Ispectons bing Jobs / Work Typ	I be the same as the legal u				to the Site (Characteri
Special District: This property is not located Area: Click here for more in Department of Finance Built Please Note: The Department if the structure Th determine th Completints Workstons_BOB Workstons_BOB Workstons_BOB Motations_CDB Area (JAA Jobe Total Jobs	in an area that may be all ormation ting Classification: of Nearce to building classific legal use of a structure, res Total 5 2 4 36 0 0	J8-THEATRES adam normalism shows search the recorded of the I Open 1 0 0	a building's too Department of Electrical A Permits In. Illuminated Phumbing Ir Open Plumi Eacades Manuee An	c status, which may not buildings. cords process / Insued Stans Annual Permi ispections bing Jobs / Work Ty musal Permits	I be the same as the legal u	*			to the Site (Characteri
Special District: This property is not located trea. Click here for more in Department of Finance Built Please Note: The Department if the structure. The determine th Completions: DOB Molations: DOB Molations: ECB (DOB) Jobs: Filmas ARA / LAA Jobs Total Jobs Actions	in an area that may be all ormation sing Classification: or Phenore building classific regal use of a structure, res Total 5 2 4 4 36 0 0 36	J8-THEATRES adam normation shows: sericit hite received of the I Open 1 0 0	a building's too Department of Elevator Re Electrical A Permits In. Illuminated Phumbing In Open Plumi Factades Marquee An Boller Reco	catabus, which may not Buildings condia polications Process / Insued Sions Annual Permi Sions Annual Permits ofing Jobs / Work Try Insual Permits ofis	I be the same as the legal u					Characteri
Special District: This property is not located kaa. Click here for most in Department of Finance Buik Please Note: The Department for Completent The Department for Completent CE (100B) Jobs/Filmas ARA / LAA Jobe Total Jobs Actions OR Enter Action Type:	in an area that may be all ormation alleg Classification: all features building classific total 5 2 4 36 0 36 8	J8-THEATRES adon noronalise abrows active the received of the I Open 1 0 0	a building's too Department of Electrical A Permits In. Illuminasted Phumbing in Open Phum Eacades Defer Reca DEP Boller	catabus, which may not buildings cords process/insued Stans Annual Permi ispections bing Joba / Work Try must Permits adds Micromation	I be the same as the legal u	e			to the Site (Characteri
Special District: This property is not located trea. Click here for more in Department of Finance Built Please Note: The Department if the structure. The determine th Completions: DOB Molations: DOB Molations: DOB Molations: ECB (DOB) Jobs: Filmas ARA / LAA Jobs Total Jobs Actions	in an area that may be all ormation alleg Classification: all features building classific total 5 2 4 36 0 36 8	J8-THEATRES adon noronalise abrows active the received of the I Open 1 0 0	a building's too Department of Elevator Re Electrical A Permits III. Uluminated Plambing In Casades Marquee A Doles: Rece DEP Boeter: Crane Infor	catabus, which may not buildings cords process/insued Stans Annual Permi ispections bing Joba / Work Try must Permits adds Micromation	I be the same as the legal u				to the Site (Characteri

© Yes ◎ No

Tip 2: If applying for the PTA, select 'Other – Solar (Tax Abatement)' for the Work Type. If not applying for the PTA, select 'Other' twice; once from the check box and once from the drop down list. Then, enter 'SOLAR' in the description box.

Solar (Tax Abatement)

Work Type	S (show help for this se	ection)		
*Check only thos	e work types submitted a	at this time.		
	r unselecting Plumbing, S selected, no other selectio		ange previously entered Schedul	e B information.
Boiler	Fuel Burning	Fuel Storage	Fire Suppression	Fire Alarm **
Plumbing	Standpipe	Sprinkler	🔲 Mechanical	
Construction	Equipment	☑ Other Solar (Ta	x Abatement) 🗾 👻	ΡΤΑ

Other - SOLAR

Work Type	S (show help for this se	ection)			
Note: Selecting or	e work types submitted a unselecting Plumbing, St selected, no other selectio	andpipe & Sprinkler will cha	ange previously entered Schedule	B information.	
Boiler	Fuel Burning	Fuel Storage	Fire Suppression	Fire Alarm *	*
Plumbing	Standpipe	Sprinkler	Mechanical		
Construction E	Equipment	✓ Other Other	▼ *Descr	iption SOLAR	ΝΟ ΡΤΑ

Tip 3: All solar projects are Alteration 2 job types. Alt-2 is an alteration which does not require an amended C/O (Certificate of Occupancy), but includes multiple work types, such as electrical and construction.

*Job/Project Type	Pick a Job/Project Type
	Pick a Job/Project Type New Buildings Alteration 1
	Alteration 2
	Alteration 3
	Full Demolitions
	Signs
	Subdivision Improved Property
	Subdivision Condominiums

Tip 4: NYC Energy Conservation Code – Solar jobs cannot mark exemption to the NYCECC, because penetrations are being made in the roof and/or walls. In addition to answering these questions, the 1st page of the plan set should have a tabular energy analysis listed. The charts on this page are examples of how to complete the tabular analysis on the plans. Please read these codes: <u>RCNY 5000-01</u> & <u>NYC Energy Conservation Code</u>

Energy Conservation Construction Code of NYC Compliance (show help for this section)
*To the best of my knowledge, belief and professional judgement, all the work this application is in compliance with the NYCECC.
Yes Exempt (DOB may require supporting analysis and documentation)
*Was the Energy analysis submitted on another job number? 💿 Yes 💿 No
*Is this application part of a project that utilizes trade-offs among different major systems? 💿 Yes 💿 No *Is this application utilizing trade-offs within a single major system? 💿 Yes 💿 No

How to Comply with NYCECC on Architectural Plans

First, determine if your building is considered residential or commercial per the definitions in the NYCECC. Then, include the appropriate Residential or Commercial statement on the first page of the plans.

NYCECC Residential Definition:

RESIDENTIAL BUILDING. For this code, includes the following:

- 1. Detached one-family dwellings having not more than three stories above grade plane;
- 2. Detached two-family dwellings having not more than three stories above grade plane;
- 3. Buildings that (i) consist of three or more attached townhouse units and (ii) have not more than three stories above grade plane;
- 4. Buildings that (i) are classified in accordance with Chapter 3 of the *Building Code of New York State* in Group R-2, R-3 or R-4 and (ii) have not more than three stories above grade plane;
- 5. Factory manufactured homes (as defined in Section 372(8) of the New York State Executive Law); and
- 6. Mobile homes (as defined in Section 372(13) of the New York State Executive Law).

For the purposes of this definition of the term "Residential building," the term "Townhouse unit" means a single-family dwelling unit constructed in a group of three or more attached units

2020 NYCECC Commercial Definition

COMMERCIAL BUILDING. For this code, all buildings that are not included in the definition of "Residential building."

GROUP R BUILDINGS. Are commercial buildings for the purposes of this code when used as described in the *Building Code* (Section 310) of New York State as R-1 uses (eg., transient hotels) or any of the following building uses when over 3 stories in height: R-2 (eg., apartment building or dormitory use), R-3 or R-4.

NYCECC Architectural Plan Statement for RESIDENTIAL Buildings

ENER	GY ANALYSIS AND PROGRESS	INSPECTIONS FOR RESIDENTI	IAL SOLAR	TAX ABATEMENTS			
	CATION TYPE: ALT-2			ORK: SOLAR ELECT			
CLIMA	ATE ZONE: 4A	20	14 NYCECO	C CHAPTER 4 (RESIDE	ENTIAL ENERGY EFI	-ICIENCY)	
To the	best of my knowledge, belief and	professional judgment, all work u	nder this ap	plication is in compliant	e with the NYCECC.		
	ITEM DESCRIPTION	PROPOSED VALUE		PRESCRIPTIVE		-	UPPORTING CUMENTATION
structu screwi	r solar electric supporting re to building structure by ng to structural members, as on drawings	Sealing all openings and pene as prescribed in section ECC 4 and ECC Table 402.4.2.		Caulking, gasketing, other material in acco ECC 402.4.1.		and/or se	Irawing page number ction title) Example, Solar Panel Mount
	INSP	ECTION / TEST		FREQUENCY (MINIMUM)	REFERENCE STA	NDARD	ECC OR OTHER CITATION
IA6		sual inspection: Openings and elope, including site-built fenestrai d to verify that they are properly s		As required during envelope construction	Approved constructi documents; ASTM E ASTM E84; RCNYS	283;	402.4.1, 402.4.2.2

NYCECC Architectural Plan Requirements for COMMERCIAL Buildings

APPLI	CATION TYPE: ALT-2		SCOPE OF	WORK	: SOLAR ELECTRIC	ARRAY INSTAL	LATION	
CLIMA	TE ZONE: 4A		2014 NYCE	CC CH	APTER C4 (COMME	RCIAL ENERGY	EFFICIENC	(Y)
To the	best of my knowledge, belief and	l professional judgment, all wo	ork under this	applica	tion is in compliance v	with the NYCECC		
	ITEM DESCRIPTION	PROPOSED VAL	UE	PRE	SCRIPTIVE VALUE A	ND CITATION		SUPPORTING CUMENTATION
structu screwir	r solar electric supporting re to building structure by ng to structural members, as on drawings	Sealing all openings and pe as prescribed in section EC C402.4.2.		other	ing, gasketing, weath material in accordanc C402.4.2.		and/or se	<i>lrawing page number</i> ction title) Example, solar Panel Mount
	11	ISPECTION / TEST			FREQUENCY (MINIMUM)	REFEREN STANDA		ECC OR OTHER CITATION
ILAC	Air sealing and insulation –			ons in	As required	Approved const		C402.4; ASHRAE

- [Air sealing and insulation – visual inspection: Openings and penetrations in	As required	Approved construction	C402.4; ASHRAE
	IIA6	the building envelope, including site-built fenestration and doors, shall be	during	documents; ASTM	90.1 - 5.4.3.1
		visually inspected to verify that a continuous air barrier around the envelope	construction	E2178, ASTM E2357,	
		forms an air-tight enclosure.		ASTM E1677, ASTM	
				E779, ASTM E283.	
		The progress inspector shall visually inspect to verify that materials and/or			
		assemblies have been tested and meet the requirements of the respective			
		standards, or that the building is tested and meets the requirements of the			
		standard, in accordance with the standard(s) cited in the approved plans.			

Tip 5: For all Professional Certification of Objections jobs including PTA applications, state in the comments section "The filed application is complete as required in Item 1 above. I will self-certify the removal of all objections to be issued on this application." Refer to <u>TPPN #1/01</u> for filing professional certification of objections.

For all Professionally Certified Jobs, also known as Self-Service, the applicant must state in the Comments that the job will be professionally certified, and reference the applicant's and owner's certifications on Form POC1. Refer to <u>OPPN 1/04</u> for filing Professional Certification.

Plan/Work Application

Job Info | Work Types | Considerations | Bldg Info | Comments

Validate

User Ref ID : TEST

ALTERATION 2 - INIT

DOB Reference Number : T00001178566

Comments (show help for this section)

Provide comments on this application here (maximum limit: 1000 characters). Place additional comments on an Al1 form. For Professional Certification statements refer to <u>OPPN 1/04</u>, for Professional Certification of Objections statements refer to <u>TPPN 1/01</u>. According to these PPNs, in most cases the entire statement language is <u>not</u> required to be placed in the comments section of the PW1.

The filed application is complete as required in Item 1 above. I will selfcertiy the removal of all objections to be issued on this application.

Step 7: Create Architectural & Electrical Plans

- Follow DOB <u>Drawing Standards</u> and <u>Plan Examination Guidelines</u>. It is very important to follow the drawing standards and guidelines to facilitate the fastest plan examiner processing possible considering the number and different types of applications received in NYC.
- All pages must be stamped by a NYS Registered Architect or Professional Engineer except for the Electrical Diagram.
- Electrical Diagrams are only required on solar PTA jobs
- Site plan indicating Fire Department access per Fire Code requirements, existing and proposed equipment, North arrow, distance to street, Dimension of lot, dimension to property line Block/Lot Adjacent buildings (if attached/semi-detached), Building height/stories, Trees, utility poles – or other falling hazards
- Elevation views must be shown to demonstrate compliance with zoning
- Detail drawings showing racking connections and anchorage
- Include notes for Tenant Protection Plan if building will be occupied during construction, tabular Energy Code Analysis, Wind Load, Structural Calculations, and list who is responsible for Special Inspections.
- Numerous dimensions are required to confirm compliance with zoning and fire codes
- Zoning height/setback diagram if panels are proposed to be elevated over 4' high or provide a note stating, "The solar system installation complies with ZR 23-62(m) [residential] or ZR 23-42(n)(1) [commercial].

Step 7A: Make sure your application is in compliance with the NYC Fire Code Chapter 5.

Applicants are responsible for ensuring the proposed solar application is in compliance with the Fire Code, to be verified by the DOB plan examiners. All required clear paths must be shown with dimensions and drawn to scale All required markings/placards must also be shown on the plans. FDNY has set restrictions to solar arrays in the 5 boroughs of NYC under NYC Fire Code <u>Chapter 5 Section 504 & 512</u>.

Summary of the Fire Code for rooftop PV installations:

- 1) Buildings under 100 feet tall with a roof slope **over 20 degrees** must provide a 3 foot clear path along the ridgeline of each roof (not the sides or the bottom)
- 2) Buildings under 100 feet tall with a roof slope 20 degrees and under> must provide a 6 foot wide and 9 feet tall clear path from front to back and side to side. There also must be a 6'x6' clear path landing zone every 12 feet of frontage space (street facing side of the roof). 3' wide access must be provided around scuttles, skylights, fire escapes, and ladders. A 6' wide clear radius is required around roof doors. Fences in clear path are allowed but must provide a gate.
- 3) There are also specific requirements on conduit runs and labeling

Additional Resources:

- <u>NYC FDNY Technology Management</u>
- If you would like to request a variance of the Fire Code for your project, you may file an application <u>online</u>. It is possible to reduce the 6' clear path requirement on 'flat roofs' to 3 feet in some circumstances. Exceptions to the 3' clear path from the ridge on 'sloped roofs' are unlikely.
- If FDNY approves your variance request, they will issue an approval letter and you must submit it to DOB with the online application.
- FDNY 2014/2022 Cross Reference Table and FDNY 2022 Highlight Summary

Step 8: Upload Documentation

Upload all <u>required forms</u>. For tips on which forms are required and how to fill them out, please see Sustainable CUNY's <u>NYC Standardized Checklist of Filing Materials</u>.

- PW1 Plan/Work Approval (automatically uploaded online)
- AOS1 Professional/Owner Signature for Hub Full-Service
 - For Self-Service use POC1
- PW2 Work Permit Application
- PW3 Cost Estimate
- EF1 E-filing Job Application Cover Sheet (automatically uploaded online)
- TR1 Technical Report: Statement of Responsibility
- TR8 Technical Report: Statement pf Responsibility for Energy Code Progress Inspections
- Asbestos Abatement Form (ACP5, ACP21, or not applicable)
- PTA4 Property Tax Abatement (PTA only)
- Architectural Plans & Electrical Diagram See Step 7
- FDNY Variance Approval Letter (if needed, required if solar design or existing building does not comply with 2014 NYC Fire Code)
- Landmark Commission Approval (if needed, required on landmark buildings and historical districts)

Landmarks or Historic Districts – If the property is a Landmark or located in a designated Historic District, you will need to receive a permit from the <u>NYC Landmarks Preservation Commission</u> (LPC) prior to submitting the DOB permit application. The approved <u>LPC Application Form</u> must be submitted to DOB during the initial filing. The BIN page in BIS can be used to determine if the property is a landmark. LPC offers a <u>permit application guide</u>, where solar is covered in Chapter 2, "Rear Yard and Rooftop Additions." Therein, there is an application checklist.


Historically, LPC has approved more the 50 solar installations. Most approvals have been for non-visible solar installations, and some have been for minimally-visible installations. Solar panels are included in <u>RCNY Title 63</u>, <u>Chapter 2</u>. Section 19 in the definition of "mechanical equipment" and in the phrase "minimally-visible." Minimally visible is defined as: "any rooftop addition which when viewed from any public thoroughfare, projects into the maximum line of sight from such public thoroughfare by not more than 12 inches in height, or, due to its placement and size does not call attention to itself nor detract from any significant architectural features."

Step 9: Pay Permitting Fees Electronically

Please see the **DOB User Guides** for guidance on paying fees in the online system.

Step 10: Submit Application to DOB


Submit the application through the Development Hub e-filing system and receive a plan exam review. Anyone can create an e-filing account and start applications. In Hub Full-Service anyone can select the 'Ready for Review' button. In Hub Self-Service applications, only the NYS Professional Engineer or Registered Architect's account will be able to select the 'Ready for Review' button because they are professionally certifying instead of receiving a plan review.



Step 11: Plan Exam Review & Permit Issuance

A DOB Plan Examiner will issue Objections if there is anything wrong with your application. If the application is approved and all fees are paid, a Construction Work Permit will be issued. The work permit must be displayed on the job site during construction.

Example screenshot from BIS (Buildings Information System)



Permit Number: 340080228-81-89-07	Insued: 11/05/2014 Expires: 12/29/2024
	Issued to: FABIAN WIKA
Address: STATEN ISLAND & RALOWE AVENUE	Bueinessy 18T LIGHT EMERCY INC Contractor No: 0C-812122
Description of Work CONCRETE WORE NOT AUTHOR	IZED - CONCRETE PLACEMENT,
FORMWORK, STEEL REINFORC ALTERATION TYPE 2 - SOLAR 5.25 NN. SOOF NOWNED.	
	30
No. of the other	
Newley is requested under Building Code: 2008	SITW FILLS NOT APPLICABLE
To use a Zoning Diagram (201) or to shallenge a toring approval Bed is p /12/2006, please use "By Community" on the Baildings Department with o	

Step 12: Plan Review Objections

If your plans are not approved, you will receive a list of objections from the plan examiner. You must resolve them on your plans, highlight with red circles what you changed, and upload an "<u>Al1 – Additional Information</u>" form to document you fixed the requested items. The Al1 should indicate all of the objections and a statement that they have been resolved next to each objection.

*For all PTA jobs filing Professional Certification, you must follow <u>TPPN #1/01</u>. This includes guidelines on specific statements to include on the Al1 and comments section of the PW1.

Step 13: Electrical Permit Application

Only a licensed NYC Master Electrician can create an Electrical Permit Application. This can also be done through the Development Hub e-filing system. The NYC Master Electrician must work for a NYC Registered Electrical Firm with the word 'Electric' in the business name per the NYC Electrical Code.

The ED16A form has been integrated online so no attachments or signatures are necessary. Alternatively, the Master Electrician may submit the paper form in the local borough office. If the job is over 1,000 kVA, Electrical Advisory Board approval is required. The Electrical Permit will be issued immediately. A plan review does not occur until the inspection.

Step 14: Complete Energy Code Progress Inspection (TR8/EN2) & Special Inspections (TR1)

An Energy Progress Inspection and Special Inspections will need to be completed prior to scheduling the construction inspection. The Energy Progress Inspection is often completed by the NYS PE/RA and the Special Inspections are completed by the Special Inspector listed on the TR1 or TR8. A NYS PE/RA can become a Special Inspector, but they cannot work directly for the General Contractor. They must work for their own firm and Special Inspection Agency as they are inspecting as a third party to the contractor.

Step 15: Electrical Inspection

As of December 2015, all inspections, including electrical inspections, must be scheduled online using "<u>Inspection</u> <u>Ready</u>." See DOB's Inspection Ready FAQ and <u>resources</u>, including videos and manuals. Inspection requests are no longer accepted in person, by phone or using the old online request portals. All requests must be made in Inspection Ready. Anyone may register for Inspection Ready. Licensees, Registered Architects, and Professional Engineers MUST register in order to take action in the system and request inspections.

During the inspection, make sure to have the approved set of plans from DOB's construction application and copies of the equipment manufacturer's specification sheets. Your project must pass the electrical inspection and receive electrical sign-off in BIS (Buildings Information System) before moving on to the next step.

For more information on what to expect during the inspection, please refer to the Solar Inspection Fact Sheet.

Step 16: Submit Construction Sign-Off Documents

A) If this is a PTA job, upload the documents online through the Development Hub. Then, email <u>greenroofandsolar@buildings.nyc.gov</u> to request a PTA inspection and construction sign-off review. After your construction sign-off forms are approved by the Development Hub, the "greenroofandsolar" team will notify the requestor with a reply email. The requestor or other general contractor representative must coordinate with the building owner for available days for the inspection unit to visit the site. Once the days are known, the permit holder must e-mail an inspection request to <u>hubinspections@buildings.nyc.gov</u> with either green roof or <u>solar</u> in the subject line. Upon receipt of your email, the inspection team will notify you of the date and time of inspection.

Please make sure a representative from the contractor is present, an approved set of plans are on site, and access is provided to the building/home in all areas work has occurred including the roof and inverters. If the inspection appointment must be canceled, please notify <u>hubinspections@buildings.nyc.gov</u> via e-mail at least

2 business days in advance of the appointment. For more information on what to expect during the inspection, please refer to the <u>Solar Inspection Fact Sheet</u>.

B) If this is not a PTA job, submit the sign-off documents in-person to the Borough Office and call or schedule the building inspection <u>online</u> (unless Directive 14 acceptance was requested). If Directive 14 was selected on the initial application, you do not need to schedule the building inspection but you do have to submit the documents in-person to the Borough Office.

Construction Inspection Appointments:

As of December 2015, all inspections, including construction inspections, must be scheduled online using "<u>Inspection Ready</u>." See DOB's Inspection Ready <u>FAQ</u> and <u>resources</u>, including videos and manuals. Inspection requests are no longer accepted in person, by phone or using the old online request portals. All requests must be made in Inspection Ready. Anyone may register for Inspection Ready. Licensees, Registered Architects, and Professional Engineers MUST register in order to take action in the system and request inspections.

Documents for submittal:

- a. PW7 Letter of Completion Folder Review Request
- b. Final PW3 Final Cost Estimate
- c. Final TR1 Final Technical Report
- d. Final TR8 Final Technical Report for Energy Code Progress Inspections
- e. EN2 Energy Analysis
- f. Final PTA4 Final Property Tax Abatement (PTA only)
- g. Utility letter of acceptance letter (PTA only)

*Please be aware if items change in the field that are different than the approved plans, you will need to submit <u>As-Built Plans</u> and an <u>Al1 Additional Information</u> form or a Post Approval Amendment (PAA). You will need your new plans and Al1/PAA form approved prior to scheduling the building inspection or the inspector will likely fail the project. The Al1 form is to be used for minor plan changes like relocating or adding/removing panels. If the new design protrudes into the Fire Code clear path, an Al1, new plans, and a FDNY variance approval letter must be submitted. PAA's should be used if there is a change of Applicant or Filing Rep, change of Professional to a TR1 or TR8, or change of item selection to a TR1 or TR8. PAA's require an additional fee and must be filed at the Borough office. Al1's do not require an additional fee, and can be submitted online in the Development Hub.

Step 17: Construction Sign-Off

Once the inspection is passed and sign-off documents approved, DOB staff will issue Construction Sign-Off in BIS. Your project is now complete. Until the job is signed-off, the owner will not be able to submit another building permit application.

------ * OBJECTIONS SELF CERTIFIED * ------Last Action: SIGNED OFF 12/08/2014 (X) Application approved on: 04/29/2014

Additional Considerations

PTA Issuance

If this is a PTA job, DOB will notify the Department of Finance (DOF) that the property is eligible to receive the PTA once construction sign-off is issued. DOF will mail a letter to the property owner stating it has been approved. Construction Sign-Off must be requested by March 15th and received by May 15th in order for it to be applied to the building owner's taxes on July 1 of the same year.

Energy Storage Batteries

If you would like to install a battery system, Sustainable CUNY has created <u>The Energy Storage Systems Permitting</u> <u>and Interconnection Process Guide</u>. See the Guide for a complete step-by-step breakdown. In summary, you will need to submit your project to FDNY's Technology Unit with a TM-1 application. You will also have to go through three DOB review boards including: <u>Sustainability Review Board</u>, Innovation Review Board, and Electrical Advisory Board. They can review applications for the specific battery type and model to be used across NYC or on a project by project basis. Only after your project is approved by all four boards, may you submit the construction and electrical permit applications described in this guide.

Wetlands

If the Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Map Check areas are marked Yes on the properties BIN page in BIS, then...

This property is located in an area that may be affected by the following:		
Tidal Wetlands Map Check:	Yes	
Freshwater Wetlands Map Check:	No	
Coastal Erosion Hazard Area Map Check:	Yes	
Special Flood Hazard Area Check:	Yes	

You must:

- 1) Check the <u>appropriate maps</u> to see if your property is in the flagged areas.
- 2) Submit a copy of the map as "Supporting Documentation" in the Hub system
- 3) Put a statement on the plans stating either:
 - a. "I certify this property **is not** in a Freshwater Wetlands, Tidal Wetlands, or Coastal Erosion Hazard area."

OR

b. "I certify this property **is** in a Freshwater Wetlands, Tidal Wetlands, or Coastal Erosion Hazard area, but the category of work does not require compliance with LL 21/09."

A solar installation is not in the category of work that requires a Department of Environmental Conservation permit according to <u>Local Law 21/09</u> unless you are doing construction in the ground like trenching for conduit or digging for ground mount footings. Reference Buildings <u>Bulletin 2009-012</u>

Special Flood Hazard Area Requirements and Exception for Solar

Background

If a property is in a special flood hazard area, any development at that property must comply with Appendix G of the NYC Building Code (BC). Appendix G requires new residential buildings and residential buildings that are either substantially improved or substantially damaged to have its lowest floor and attendant utilities raised above the design flood elevation (DFE). New or substantially improved/damaged non-residential buildings may either dry floodproof by implementing measures and building features to prevent flood waters from penetrating into spaces below DFE or wet floodproof in accordance with the requirements for residential buildings.

Additionally, unless otherwise allowed as part of dry floodproofing, Appendix G prohibits newly installed utilities from being located below the DFE in an existing building where such equipment did not previously exist as such an installation is deemed an "increase in the degree of noncompliance." Therefore, all new equipment must be installed above the DFE or be constructed so as to prevent water from entering and accumulating during a flood. For solar applications, the AC disconnect and conduit leading to the AC disconnect are permitted to be installed below the DFE at a readily accessible location to comply with section EC 690.14(C)(1) of the current New York City Electrical Code (EC).

<u>Summary</u>

Solar applications in Special Flood Hazard Areas must follow the requirements of Appendix G as outlined below:

- Where construction costs exceed the greater of \$40,000 or 25% of the market value of the structure, the applicant shall provide a substantial improvement calculation and documentation per 1-RCNY 3606-01 to ensure that the building is not being substantially improved. Where construction costs exceed 50% of the market value of the structure, the work shall be considered a substantial improvement and the building shall comply with all requirements of Appendix G as if it were newly constructed.
- Applicants shall include in every alteration the statement, "Work proposed in this application (is/is not) included in a substantial improvement as defined by Section BC G201.2 and 1 RCNY 3606-01."
- The permit application shall include a plot/site plan as required for all applications.
- The permit application shall include a statement noting the base flood and design flood elevations. For example, *"The BFE for 18 Balfour Street is 12NAVD88 and the DFE is 14NAVD88."* The BFE is determined by reviewing both the effective FEMA <u>Flood Insurance Rate Map</u> (FIRM) and <u>Preliminary Flood Insurance Rate Map</u> (PFIRM), and using whichever is more restrictive. The DFE is determined in Table 7-1 of Appendix G.
- Where equipment other than the AC disconnect is to be installed **below the roof level**, the applicant shall submit the following:
 - Architectural drawings with elevation dimensions that show all equipment other than the AC disconnect are located above the DFE.
 - o A site survey or elevation certificate stamped by a NY Licensed Surveyor.

(Site surveys or elevation certificates that are older than 1 year, require a professional statement and seal by the applicant of record on an AI1 Additional Information form stating, *"I certify, to the best of my knowledge, belief and professional judgment, the site survey is consistent with current* conditions on the site.")

- Where equipment other than the AC disconnect is to be installed **on the roof**, the applicant shall include a utility certification on the plans stating the following:
 - "I certify, to the best of my knowledge, belief and professional judgment, all work under this application is installed above the design flood elevation in accordance with Appendix G of the NYC Building Code except for the AC disconnect and conduit connecting to the AC disconnect."
- Complete a special inspection for Flood Zone Compliance on the TR1 as per BCG 105.2.

*This exception was approved by the NYC Department of Buildings on August 27th, 2015.

Cutting Pipes/Vent Stacks

Plumbing Code 904.1 – Roof extension: All open vent pipes that extend through a roof shall be terminated at least 24 inches (610 mm) above the roof, except that where a roof is to be used for any purpose other than weather protection or maintenance, the vent extensions shall be run at least 7 feet (2134 mm) above the roof. Approved vandal-resistant vent caps may be used.

Vents may be cut to 24 inches above the roof as long as no one will be going up on the roof except for maintenance. Cutting of the pipe must be completed by a licensed NYC Plumber with a plumbing work permit.

Permit Expiration Dates & Renewal Process

Permits expire one year from the date the permit was issued; or the expiration date of the General Contractor's general liability insurance policy provided to the Department's Licensing Unit, whichever is earlier. So, it's almost always when the GC's insurance will expire. Please be aware of this and keep your insurance up to date with the DOB Licensing Unit. If you pull a permit a week before your expiration date, it will likely only be active for one week.

To renew permits, you can do this <u>online</u> through the Development Hub or by going in-person to the borough office. Permits and/or After-Hours Variances cannot be renewed online if:

- The scope of work has changed
- The tradesperson or contractor is no longer in good standing with the Department
- There is an issue with the application

To renew online, you must create a Development Hub account using the exact same information on the General Contractor's License. The Licensee Name, Business Name, Phone Number, Email, Contractor ID, etc. must match exactly or you will not be able to find your applications. Solar Company, Inc vs Solar Company will not work. If your account is not created properly, you will see this view:



If your account is created properly, you will be able to search for your BIS job numbers. Follow pages 13-16 of this <u>e-filing guide</u> for steps.

Removing/Sealing Hatches

Regarding installing solar panels on top of or near a sealed hatch that is no longer in use (NYC Fire Code 504.4.4

requiring 3' clearance around 3 sides of hatches and skylights), the following has been researched and determined in the codes to provide clarity to the solar industry, with approval of this language by the NYC DOB and FDNY.

- In order to remove/seal a hatch, the building must provide other means of access to the roof when required in the NYC Building Code or NYS Multiple Dwelling Law (see references below for clarification). If other means of access <u>is</u> provided or not required per these codes, the existing hatch must be maintained in 'good working order' per FC 107.1. Alternatively, the hatch could be completely removed which would require the removal of all ancillary equipment (ladder to roof, hatch cover, and other related features).
- If the hatch is removed and no longer exists, solar panels can now be installed on or near that portion of the roof. The area can also be used as part of any rooftop clear path requirements as it now looks and functions like all other accessible parts of the roof. If the hatch is not completely removed, 3' clearances per FC 504.4.4 must be provided. It is also considered unsafe and not to current fire code, if the hatch exists and is inoperable (FC 107.4.2 & FC 107.1). The building owner could receive a violation for this. If you wish to leave the hatch and reduce the 3' clear path requirements around 3 sides instead of completely removing the hatch, a variance application (TM-5) can be submitted to FDNY requesting this.

References for Removing Hatches

The Building Code roof access requirements that apply depends on the year the building was constructed. For example, a new building constructed today would have to comply with the 2014 Building Code section 1009.13 (see below excerpt). Older buildings would need to comply with the building code it was built under at that time (ex: 2008, 1968, 1938 versions). The New York State Multiple Dwelling Law also may apply with similar roof access and egress requirements.

"2014 BC 1009.13 Stairway to roof and roof access. In buildings four or more stories or more than 40 feet (12 192 mm) in height above grade, one stairway shall extend to the roof surface through a stairway bulkhead complying with Section 1509.2, unless the roof has a slope steeper than 20 degrees(0.35 rad). Access to setback roof areas may be through a door or window opening to the roof. Stairs terminating at the level of a setback shall provide access to the setback roof areas, except where the setback is less than 4 feet (1219 mm) in width and 10 feet (3048 mm) in length, measured from the inside of the parapet wall.

1009.13.1 Occupancy Groups I-1, R-1 and R-2.In buildings in Occupancy Groups I-1, R-1 and R-2 two stories or more in height, with roofs having a slope of 15 degrees (0.26 rad) or less, all interior stairs, except those terminating at the level of a setback roof, shall extend to the roof surface.

Exceptions:

 In buildings in Occupancy Groups R-1 and R-2 two stories in height and in Occupancy Group R-2 three stories in height with not more than one dwelling unit per story, access to the roof shall be permitted to be a noncombustible roof hatch or trap door not less than 21 inches (533 mm) in width and 28 inches (711 mm) in length. Such hatches shall be located within the stair enclosure and be provided with a stationary, noncombustible access ladder or alternating tread device.
In buildings in Occupancy Group R-2 complying with Item 4 of Section 1021.2, roof access shall be governed by Item 4.6 of such section."

BC 1009.13.2 Protection at roof hatch openings. Where the roof hatch opening providing the required access is located within 10 feet (3049 mm) of the roof edge, such roof access or roof edge shall be protected by guards installed in accordance with the provisions of Section 1013."

"FC 107.1 Maintenance required. Whenever any device, equipment, system, operation, installation or facility regulated by this code or the rules is installed or established, including any condition or ancillary equipment necessary for its proper operation, whether or not required for compliance with the requirements of this code or the rules, such device, equipment, system, operation, installation or facility shall thereafter be continuously maintained in good working order, in accordance with this code, the rules, the construction codes and the manufacturer's instructions."

"FC107.4.2 Other tampering. Locks, gates, doors, barricades, chains, enclosures, signs, tags or seals required by this code, the rules, permit or order of the commissioner shall not be removed, defaced, obscured, unlocked and/or otherwise rendered illegible or inoperable."

Changing General Contractors or Applicants on Existing Permits

This cannot currently be done online through the Development Hub. One will save on paying the permit fee twice, and possibly some paperwork.

To change a General Contractor, the following is required to be submitted at the Borough Office:

- 1) New PW2 indicating renewal with change \$100 fee
- 2) Notarized letter from owner
- 3) Letter from superseding contractor on letterhead

To change the Applicant, the following is required to be submitted at the Borough Office:

- 1) Post Approval Amendment (PAA) PAA is same as the PW1 form, but change the filing type field \$100 fee
- 2) All new forms and plans with new applicant's seal and signature

Construction Permit Fees

Local Law 56 of 2016 lists the fee schedule for all permit types. The Electrical Permit fees are outlined on the ED 16A form

Complying with Zoning Height & Setback Requirements on Plans

FOR RESIDENTIAL BUILDINGS OR PORTIONS OF MIXED-USE BUILDINGS WHERE RESIDENTIAL BULK APPLIES SCENARIO 1 – Most common

Solar panels on residential buildings are a permitted obstruction up to 4 feet in height per ZR 23-62(m). However, any roof with a slope greater than 20 degrees is limited to 18 inches in height as measured perpendicular to the roof surface. If the proposed installation is 4 feet or under in height, a height/setback diagram will not be required. In lieu of providing a zoning height/setback diagram, applicants may provide the following note on drawings: **"The solar system installation complies with ZR 23-62(m)."**

SCENARIO 2

If the proposed solar panels, on a residential building, are designed to be elevated <u>over</u> 4 feet above the roof level, applicants must show a zoning height/setback diagram to demonstrate compliance with ZR 23-62(m)(2) or ZR 23-62(m)(3).

Note: Both scenarios may be applied to a residential building with a legally existing non-compliant bulk.

FOR COMMERCIAL BUILDINGS

SCENARIO 1

Solar panels on commercial buildings are a permitted obstruction up to 4 feet in height per ZR 33-42(n)(1). However, any roof with a slope greater than 20 degrees is limited to 18 inches in height as measured perpendicular to the roof surface. If the proposed installation is 4 feet or under in height, a height/setback diagram will not be required. In lieu of providing a zoning height/setback diagram, applicants may provide the following note on drawings: **"The solar system installation complies with ZR 33-42(n)(1)."**

SCENARIO 2

If the proposed solar panels, on commercial buildings, are designed to be elevated <u>over</u> 4 feet above the roof level, applicants must show a zoning height/setback diagram to demonstrate compliance with ZR 33-42(n)(2) or ZR 33-42(n)(3).

Note: Both scenarios may be applied to a commercial building with a legally existing non-compliant bulk.

Confirming the NYC Property Tax Abatement was Applied

The NYC Department of Finance offers this <u>link to find copies of any Block and Lot's property tax bill</u> to see if the solar PTA was applied

If your project receives construction sign-off by DOB on the permit application by May 15th, the PTA should be applied on the following July 1 property tax bill. NYC DOF bills property taxes quarterly. Therefore, the PTA is split between 5% of eligible expenditures listed on the PTA4 form over 4 years and in each year is split quarterly. (July, October, January, April). The bill will show the 'Billing Summary' for the current quarter with the PTA listed as a negative line item under 'Solar Elec Generating System Abatem.' It will also list 'Tax Year Charges Remaining' for the following quarters left in the fiscal year. Fiscal years run June to July.

The dollar amounts would be listed to the right of the below screenshot.

NYC inance	Statement Details	
Billing Summary	Activity Date	Due Date
Outstanding charges including interest and p Finance-Property Tax. Solar Elec Generating System Abatem	06/05/2015	07/01/2015
Total amount due		
Tax Year Charges Remaining	Activity Date	Due Date
Finance-Property Tax Solar Elec Generating System Abatem	06/05/2015	10/01/2015
Finance-Property Tax Solar Elec Generating System Abatem Finance-Property Tax	06/05/2015	01/01/2016
Solar Elec Generating System Abatem	06/05/2015	01012010
fotal tax year charges remaining f you pay everything you owe by July 1, 20	15, you would sav	e:

Please be aware per the <u>PTA law</u>, each separate building on the same tax lot qualifies as an "eligible building," meaning that each building may take advantage of the tax abatement. Similarly, one building is eligible for one abatement regardless of the number of tax lots upon which it resides. DOF records properties and bills by the Borough, Block, and Lot (BBL).

- If an owner decides to add more solar panels on an additional permit application that only has one building on the BBL, just the first application would be eligible for the PTA.

- If there are multiple buildings on one BBL, that should mean there is only one property tax bill. If there are three buildings on one BBL, DOF will apply up to three property tax abatements. However, there is no way to identify building A or address A should get the PTA instead of building B or address B. That will need to be worked out by the building owners or management.